

Food - Chocolate - Brewery - Dairy - Chemical - Pharmaceutical - Cosmetics

1. GENERAL CODES-STANDARDS-DOCUMENTATIONS AND OBTAINED CERTIFICATES APPLIED TO NEW ATMOSPHERICAL TANKS TYPE K, TYPE CHC, TYPE JNV, TYPE VC, TYPE CB, TYPE CCT & TYPE BBT:

EN13920 – General construction code for storage-tanks regarding dimensional tolerances.

ISO 13920:1996 – Welding - General tolerances for welded constructions - Dimensions for lengths and angles - Shape and position

EN1672-2/2005+A1/2009 – General standard for food processing machinery- basic concepts- Part 2: Hygiene standards.

EN10088:2005 – General standard for new materials – stainless-steels.

DIN EN ISO 3834-2 – Certificate N° 07-202-9020 EN 2175/9 – Certificate for fusion welding suitability and quality requirements of metallic materials, stainless-steels.

ISO-9001: 2008 Certificate N° QS-2259 HH – Certificate for quality management and continuous improvement.

INTERNAL PROTOCOL for hydraulic tests on finished tanks under supervision by an internal international quality engineer.

INTERNAL PROTOCOL for quality certificate issued per each tank supervision by an internal international welding engineer.

WPQR(LMK)(QMOS) – Welding Procedure Qualification Record (Las Methode Kwalificatie) (Qualification Méthode Opératoire Soudage)

WPS – **Welding Procedure Specification**

DOCUMENTATION:

- -Welder certificates EN287.1
- -Material list for main tank body parts.
- -Material certificates 3.1.
- -WPS weldplan.
- -Certificates welding wire 2.2.
- -WPQR.
- -Maintenance instruction.

1.1.ADDITIONAL CODES-STANDARDS-DOCUMENTATIONS TO POST1. IN CASE OF PRESSURIZED TANKS :

PED CE DECLARATION OF CONFORMITY – Statement of requirements in accordance of the directive 97/23/EC (PED)

EN13445-3 CALCULATIONS – Accordance of calculations for strength.

X-RAY CONTROL – Prescribed X-ray controls by an independent laboratory in accordance with the design documentation under supervision of the internal quality managing engineer and executed by a Notified Body.

PENETRANT/VISUAL TESTING – Prescribed penetrant/visual testing performed under supervision of the internal quality engineer and executed by a Notified Body.

TRACEABILITY – Guaranteed by the Management system in force and certified according to ISO 9001 :2008.

HAZARD ANALYSIS – Analysis for intended use.

OPERATION AND MAINTENANCE MANUAL – Instructions for inteded use and maintenance obligatory for warrantee and longevty

HYDRAULIC TEST REPORT – Supervised by the internal quality managing engineer and notified body.

QUALITY CERTIFICATE – Drawn together by the internal quality managing engineer.

1.2.ADDITIONAL CODES-STANDARDS-DOCUMENTATIONS TO POST1. IN CASE OF MOVING PARTS(AGITATORS):

TRACEABILITY – Guaranteed by the Management system in force and certified according to ISO 9001 :2008.

HAZARD ANALYSIS – Analysis for intended use.

OPERATION MANUAL – Instructions for inteded use.

MAINTENANCE MANUAL – Maintenance obligatory for warrantee and longevty.

QUALITY CERTIFICATE – Drawn together by the internal quality managing engineer.

CE DECLARATION OF CONFORMITY – Statement of requirements in accordance of the directive 2006/42/EC